



# TOWN OF LAKEVILLE MEETING POSTING & AGENDA

Town Clerk's Time Stamp  
received & posted:

*K. Deluca*

LAKEVILLE TOWN CLERK  
RCUD 2023 JUN 14 PM 3:03

48-hr notice effective  
when time stamped

Notice of every meeting of a local public body must be filed and time-stamped with the Town Clerk's Office at least 48 hours prior to such meeting (excluding Saturdays, Sundays and legal holidays) and posted thereafter in accordance with the provisions of the Open Meeting Law, MGL 30A §18-22 (Ch. 28-2009). Such notice shall contain a listing of topics the Chair reasonably anticipates will be discussed at the meeting.

Name of Board or Committee:	BOARD OF HEALTH
Date & Time of Meeting:	Wednesday, June 21, 2023 @ 6:00p.m.
Location of Meeting:	Lakeville Police Station 323 Bedford Street, Lakeville, MA
Clerk/Board Member posting notice:	Fran Lawrence

Cancelled/Postponed to: \_\_\_\_\_ (circle one)

Clerk/Board Member Cancelling/Postponing: \_\_\_\_\_

## A G E N D A

### R E V I S E D

*Please ask if anyone is recording the meeting and announce that LakeCAM is taping (if present)*

1. 24 Stetson Street – Meet with SFG Associates, Inc. to discuss requested Local Upgrades
2. 7 Hollis Avenue – Meet with SFG Associates, Inc. to discuss requested Local Upgrades
3. 24 Beechwood Avenue – Meet with SFG Associates, Inc. to discuss requested Local Upgrades
4. Discuss changes to the Lakeville Board of Health Regulations pertaining to subsurface disposal systems and water.
5. Discuss recent BOH Agent pending items

*Any other business that may properly come before the Board of Health*

*Please be aware that this agenda is subject to change. Should other issues arise requiring immediate attention by the Board of Health after the posting of this Agenda, they may be addressed at this meeting.*





## SENNA FITZGERALD GILBERT ASSOCIATES

CIVIL ENGINEERS & LAND SURVEYORS  
28 MAIN STREET, LAKEVILLE, MA 02347

TEL. (508) 946-5258  
TEL./FAX (508) 947-1090

June 7, 2023

RECEIVED  
JUN - 9 2023  
BOARD OF HEALTH

To abutters to 24 Stetson Street, Map 58, Block 3, Lot 40:

Please be advised that a septic system repair site plan has been submitted to the Lakeville Board of Health for the above referenced property. The property owners are William & Sabine Godden.

As part of the filing, the following Local Upgrades are requested under Title 5, Section 15.405(1):

- (e) to allow the soil absorption system to be approximately 80' from bordering vegetated wetlands that border a tributary (Bates Brook) to a surface water supply (Assawompset Pond), instead of the required 100'.
- (f) to allow the soil absorption system to be approximately 150' from a tributary (Bates Brook) to a surface water supply (Assawompset Pond), instead of the required 200'.
- (k) To allow for one deep hole, instead of the required two.

A public hearing will be held by the Lakeville Board of Health, to discuss these requests, on Wednesday, June 21, 2023 at 6:00 p.m. The meeting will be held at the Lakeville Police Department, 323 Bedford Street, Lakeville. For information regarding this hearing, you may contact the Board of Health at (508) 946-3473, or this office at the address and telephone numbers listed above, or by email at [sfgassociates@verizon.net](mailto:sfgassociates@verizon.net).

Please note that this notice is for informational purposes only, and is not a summons to attend.

**Affected abutters:**

Taunton Water Department  
91 Precinct Street  
Lakeville, MA 02347

New Bedford Water Department  
1 Negus Way  
East Freetown, MA 02717



7020 3160 0001 0591 1770

U.S. Postal Service™  
CERTIFIED MAIL® RECEIPT  
Domestic Mail Only

For delivery information, visit our website at [www.usps.com](http://www.usps.com)

East Freetown, MA 02717  
OFFICIAL USE

Certified Mail Fee	\$4.15
Extra Services & Fees (check box, add fee as appropriate)	\$3.35
<input type="checkbox"/> Return Receipt (hardcopy)	\$0.00
<input type="checkbox"/> Return Receipt (electronic)	\$0.00
<input type="checkbox"/> Certified Mail Restricted Delivery	\$0.00
<input type="checkbox"/> Adult Signature Required	\$0.00
<input type="checkbox"/> Adult Signature Restricted Delivery	\$0.00
Postage	\$0.63
Total	\$8.13

LAKEVILLE 02347  
Postmark  
JUN 2023  
MA 02347  
06/07/2023

New Bedford Water Department  
1 Negus Way  
East Freetown, MA 02717

Instructions

7020 3160 0001 0591 2371

U.S. Postal Service™  
CERTIFIED MAIL® RECEIPT  
Domestic Mail Only

For delivery information, visit our website at [www.usps.com](http://www.usps.com)

Lakeville, MA 02347  
OFFICIAL USE


Certified Mail Fee	\$4.15
Extra Services & Fees (check box, add fee as appropriate)	\$3.35
<input type="checkbox"/> Return Receipt (hardcopy)	\$0.00
<input type="checkbox"/> Return Receipt (electronic)	\$0.00
<input type="checkbox"/> Certified Mail Restricted Delivery	\$0.00
<input type="checkbox"/> Adult Signature Required	\$0.00
<input type="checkbox"/> Adult Signature Restricted Delivery	\$0.00
Postage	\$0.63
Total	\$8.13

LAKEVILLE 02347  
Postmark  
JUN 2023  
MA 02347  
06/07/2023

Taunton Water Department  
91 Precinct Street  
Lakeville, MA 02347

Instructions

1. EROSION CONTROL DEVICES ARE TO BE PLACED PRIOR TO CONSTRUCTION AND ARE TO REMAIN IN PLACE UNTIL ALL CONSTRUCTION IS COMPLETED AND NEW SLOPES HAVE BEEN STABILIZED.
2. THE EROSION CONTROL DEVICES SHALL BE DESIGNED IN ACCORDANCE WITH THE FOLLOWING:
3. THE SOIL A MINIMUM OF 6" SHALL BE PLACED IN A ROW WITH SOIL OVERLAPPING BY 6" MINIMUM.
4. TRENCHES SHALL BE SECURELY ANCHORED IN PLACE.
5. INSPECTION SHALL BE FREQUENT AND REPAIRS OR REPLACEMENT SHALL BE MADE PROMPTLY.
6. APPROVAL OF THE PLACEMENT OF EROSION CONTROL DEVICES IS TO BE OBTAINED FROM THE CONSERVATION DEPARTMENT PRIOR TO CONSTRUCTION.
7. AN EQUIVALENT EROSION CONTROL DEVICE MAY BE USED IN PLACE OF THE FOLLOWING:




**EROSION CONTROL DETAIL**  
n.t.s.

- CONSERVATION COMMISSION NOTES:**
- EROSION CONTROL IS TO BE INSTALLED ADJACENT TO THE CONSTRUCTION SITE TO PREVENT THE PRODUCTION OF PRELUFT AND SPRAY.
  - ANY REQUIRED DRAINAGE CONSTRUCTION, A HAYSTACK STILLING BASIN IS TO BE INSTALLED UPHILL FROM THE EROSION CONTROL DEVICES.
  - UPON COMPLETION OF CONSTRUCTION, ALL EXPOSED SURFACES ARE TO BE EVENLY GRASSED, LOADED, OR COVERED WITH MULCH AND MOWING AND FOOT TRAFFIC.
  - ANY EXPOSED SEEDS, THE COVERED SURFACES SHALL BE COVERED WITH MAT OR STRAW TO PREVENT EROSION.
  - THERE SHALL BE NO STORAGING OF CONTAMINATED SOILS WITHIN ANY RESOURCE AREAS OR BUFFER ZONES.
  - THE LIMIT OF CLEARING AND WORK SHALL BE CONSIDERED THE LIMIT OF CLEARING AND WORK.
  - THE METLANDS WERE PLACED ON MAY 19, 2023 BY SFC ASSOCIATES, INC.

**ENGINEER ANALYSIS:**

84,487 S.F. TOTAL REVERFRONT AREA ON LOT  
 21,694 S.F. IN OUTER RIPARIAN ZONE  
 0 S.F. DISTURBANCE IN INNER RIPARIAN ZONE  
 1,700 S.F. DISTURBANCE IN BUFFER ZONE  
 5,726 DISTURBANCE OF REVERFRONT AREA

NOTE: THE REPAIR OF A SEPTIC SYSTEM IN EXISTENCE ON AUGUST 7, 1994 IS EXEMPT FROM THE REQUIREMENTS OF THE RIPARIAN ZONE.



- LEGEND**
- ⊕ DEEP OBSERVATION HOLE
  - - - - EXISTING CONTOUR
  - - - - PROPOSED CONTOUR
  - WELL
  - W— WATER SERVICE
  - O/H— OVERHEAD UTILITIES
  - U— UTILITY POLE
  - — — EXISTING TREELINE
  - — — EXISTING FENCE

**MAP 58  
BLOCK 3  
LOT 40  
190,304 S.F.±**

**STETSON ST.**  
**LOCIS**

**PH 562**

**RECEIVED  
JUN - 9 2023  
BOARD OF HEALTH**

**A SEPTIC SYSTEM REPAIR  
IN LAKEVILLE, MA  
FOR WILLIAM & SABINE GODDEN**

DATE: JUNE 6, 2023  
 SENNA FITZGERALD GILBERT ASSOCIATES  
 650 WASHINGTON ST., SUITE 200  
 LAKEVILLE, MA 02347  
 (508) 946-5528 TEL./FAX (508) 947-1890


**FILE COPY**

NOTE: SEE SHEET 2 FOR NOTES, CALCULATIONS, ELEVATIONS, ETC.

SHEET 1 OF 2

24 STETSON STREET, MAP 58, BLOCK 3, LOT 40

SCALE: 1" = 20'











# SENNA FITZGERALD GILBERT ASSOCIATES

CIVIL ENGINEERS & LAND SURVEYORS  
28 MAIN STREET, LAKEVILLE, MA 02347

TEL. (508) 946-5258  
TEL./FAX (508) 947-1090

June 5, 2023

Lakeville Board of Health  
Town Offices  
Lakeville, MA 02347

RECEIVED

JUN - 9 2023

BOARD OF HEALTH

Re: 7 Hollis Avenue, Map 42, Block 7, Lot 4.

Dear Board members:

Enclosed you will find copies of a septic system repair site plan for the above referenced property. The property owner is Nynelyon, Inc. The plan has a revised date of June 5, 2023. We had previously applied for a permit and variances with you, and were denied. This new plan addresses your concerns showing that the dwelling has been tied into the seasonal water supply. Further, the owner intends to extend the water main from Walnut Street to the front of the lot, and tie the dwelling into the year-round water supply.

The existing system is failing and must be replaced. As part of the filing, the following Local Upgrades are requested under Title 5, Section 15.405(1):

- (a) to allow the septic tank to be 2' from the easterly property line of Moen Richards at 9 Hollis Avenue, instead of the required 10'.
- (a) to allow the s.a.s. to be 6' from the northerly property line of Gori, LLC at 8 Central Avenue, instead of the required 10'.
- (a) to allow the s.a.s. to be 8' from the westerly property line of Hebert at 5 Hollis Avenue, instead of the required 10'.
- (b) to allow the septic tank to be 3' from the crawl space, instead of the required 10'.
- (b) to allow the s.a.s. to be 8' from the crawl space, instead of the required 20'.
- (g) to allow the s.a.s. to be 71' from the easterly well of Moen Richards at 9 Hollis Avenue, instead of the required 100'.
- (g) to allow the s.a.s. to be 87' from the westerly well of Hebert at 5 Hollis Avenue, instead of the required 100'.
- (g) to allow the s.a.s. to be 88' from the northerly well of Town of Lakeville at 6 Central Avenue, instead of the required 100'.
- (k) To allow for one deep hole, instead of the required two.

These Local Upgrades are requested due to site conditions. The lot is very small (50' X 100'), as are the majority of the surrounding lots. The soils are marginal, which resulted in a higher percolation rate (29 MPI), which increases the size of the s.a.s. There is no other area on the property to site the septic system. A MicroFast 0.5 Secondary Treatment Unit is proposed to provide increased treatment of the effluent. This allows for the s.a.s. to be sized at 50% of the required Title 5 requirement. Despite the advanced treatment and smaller s.a.s. size, the system still requires the Local Upgrades being requested.

Continued on next page





# SENNA FITZGERALD GILBERT ASSOCIATES

CIVIL ENGINEERS & LAND SURVEYORS  
28 MAIN STREET, LAKEVILLE, MA 02347

TEL. (508) 946-5258  
TEL./FAX (508) 947-1090

RECEIVED

JUN - 9 2023

June 5, 2023

To abutters to 7 Hollis Avenue, Map 42, Block 7, Lot 4:

BOARD OF HEALTH

Please be advised that a septic system repair site plan has been submitted to the Lakeville Board of Health for the above referenced property. The property owner is Nynelyon, Inc.

As part of the filing, the following Local Upgrades are requested under Title 5, Section 15.405(1):

- (a) to allow the septic tank to be 2' from the easterly property line of Moen Richards at 9 Hollis Avenue, instead of the required 10'.
- (a) to allow the s.a.s. to be 6' from the northerly property line of Gori, LLC at 8 Central Avenue, instead of the required 10'.
- (a) to allow the s.a.s. to be 8' from the westerly property line of Hebert at 5 Hollis Avenue, instead of the required 10'.
- (b) to allow the septic tank to be 3' from the crawl space, instead of the required 10'.
- (b) to allow the s.a.s. to be 8' from the crawl space, instead of the required 20'.
- (g) to allow the s.a.s. to be 71' from the easterly well of Moen Richards at 9 Hollis Avenue, instead of the required 100'.
- (g) to allow the s.a.s. to be 87' from the westerly well of Hebert at 5 Hollis Avenue, instead of the required 100'.
- (g) to allow the s.a.s. to be 88' from the northerly well of Town of Lakeville at 6 Central Avenue, instead of the required 100'.
- (k) To allow for one deep hole, instead of the required two.

A public hearing will be held by the Lakeville Board of Health, to discuss these requests, on Wednesday, June 21, 2023 at 6:00 p.m. The meeting will be held at the Lakeville Police Department, 323 Bedford Street, Lakeville. For information regarding this hearing, you may contact the Board of Health at (508) 946-3473, or this office at the address and telephone numbers listed above, or by email at [sfgassociates@verizon.net](mailto:sfgassociates@verizon.net).

Please note that this notice is for informational purposes only, and is not a summons to attend.





# 55 foot Abutters List Report

Lakeville, MA  
March 17, 2023

RECEIVED

JUN - 9 2023

BOARD OF HEALTH

### Subject Property:

Parcel Number: 042-007-004  
CAMA Number: 042-007-004  
Property Address: 7 HOLLIS AV

Mailing Address: NYNELYON INC  
1 MARGARET CHARLES DR  
ASSONET, MA 02702

### Abutters:

Parcel Number: 042-006-003	Mailing Address: LUNDSTEDT MICHAEL & CHRISTINA
CAMA Number: 042-006-003	ANNE
Property Address: 5 ASH ST	5 ASH ST
	LAKEVILLE, MA 02347

Parcel Number: 042-006-004	Mailing Address: DEWHURST FREDERICK A JR &
CAMA Number: 042-006-004	SHARON & EVELYN W
Property Address: 10 HOLLIS AV	10 HOLLIS AVE
	LAKEVILLE, MA 02347

Parcel Number: 042-006-006	Mailing Address: CARTER THOMAS J & COLLEEN M
CAMA Number: 042-006-006	6 HOLLIS AVE
Property Address: 6 HOLLIS AV	LAKEVILLE, MA 02347

Parcel Number: 042-007-003	<i>AFFECTED</i>	Mailing Address: HEBERT NICOLE
CAMA Number: 042-007-003		5 HOLLIS AV
Property Address: 5 HOLLIS AV		LAKEVILLE, MA 02347

Parcel Number: 042-007-005	<i>AFFECTED</i>	Mailing Address: MOEN RICHARDS SONJA C/O RICK
CAMA Number: 042-007-005		MOEN
Property Address: 9 HOLLIS AV		86 WINTERGREEN LN
		BREWSTER, MA 02631

Parcel Number: 042-007-008	Mailing Address: CRONIN GARY & KIMBERLY
CAMA Number: 042-007-008	1498 SEAWARD LN
Property Address: 12 CENTRAL AV	MURRELLS INLET, SC 29576-4007

Parcel Number: 042-007-009	Mailing Address: FERRELL JOHN
CAMA Number: 042-007-009	1248 FISH RD
Property Address: 10 CENTRAL AV	TIVERTON, RI 02878

Parcel Number: 042-007-010	<i>AFFECTED</i>	Mailing Address: GORI LLC
CAMA Number: 042-007-010		127 DORCHESTER ST
Property Address: 8 CENTRAL AV		QUINCY, MA 02347 <i>02171-1032</i>

Parcel Number: 042-007-011	<i>AFFECTED</i>	Mailing Address: TOWN OF LAKEVILLE
CAMA Number: 042-007-011		346 BEDFORD ST
Property Address: 6 CENTRAL AV		LAKEVILLE, MA 02347



www.cai-tech.com

Data shown on this report is provided for planning and informational purposes only. The municipality and CAI Technologies are not responsible for any use for other purposes or misuse or misrepresentation of this report.

3/17/2023

Page 1 of 1



**U.S. Postal Service™**  
**CERTIFIED MAIL® RECEIPT**  
 Domestic Mail Only

For delivery information, visit our website at [www.usps.com](http://www.usps.com).

**OFFICIAL USE**

Certified Mail Fee \$4.15  
 \$3.35  
 Extra Services & Fees (check box, add fee as appropriate)  
 Return Receipt (hardcopy) \$0.00  
 Return Receipt (electronic) \$0.00  
 Certified Mail Restricted Delivery \$0.00  
 Adult Signature Required \$0.00  
 Adult Signature Restricted Delivery \$

Postage \$0.63

Total \$8.13

Sent To  
 Sonja Moen Richards  
 c/o Rick Moen  
 86 Wintergreen Lane  
 Brewster, MA 02631

0347  
 06  
 Postmark  
 LAKEVILLE  
 JUN 2023  
 06/07/2023

PS Form 3800, April 2016 PSN 7530-02-000-9047 See Reverse for Instructions

**U.S. Postal Service™**  
**CERTIFIED MAIL® RECEIPT**  
 Domestic Mail Only

For delivery information, visit our website at [www.usps.com](http://www.usps.com).

**OFFICIAL USE**

Certified Mail Fee \$4.15  
 \$3.35  
 Extra Services & Fees (check box, add fee as appropriate)  
 Return Receipt (hardcopy) \$0.00  
 Return Receipt (electronic) \$0.00  
 Certified Mail Restricted Delivery \$0.00  
 Adult Signature Required \$0.00  
 Adult Signature Restricted Delivery \$

Postage \$0.63

Total \$8.13

Sent To  
 Town of Lakeville  
 346 Bedford Street  
 Lakeville, MA 02347

0347  
 06  
 Postmark  
 LAKEVILLE  
 JUN 2023  
 06/07/2023

PS Form 3800, April 2016 PSN 7530-02-000-9047 See Reverse for Instructions

**U.S. Postal Service™**  
**CERTIFIED MAIL® RECEIPT**  
 Domestic Mail Only

For delivery information, visit our website at [www.usps.com](http://www.usps.com).

**OFFICIAL USE**

Certified Mail Fee \$4.15  
 \$3.35  
 Extra Services & Fees (check box, add fee as appropriate)  
 Return Receipt (hardcopy) \$0.00  
 Return Receipt (electronic) \$0.00  
 Certified Mail Restricted Delivery \$0.00  
 Adult Signature Required \$0.00  
 Adult Signature Restricted Delivery \$

Postage \$0.63

Total \$8.13

Sent To  
 Gori, LLC  
 127 Dorchester Street  
 Quincy, MA 02171-1032

0347  
 06  
 Postmark  
 LAKEVILLE  
 JUN 2023  
 06/07/2023

PS Form 3800, April 2016 PSN 7530-02-000-9047 See Reverse for Instructions

**U.S. Postal Service™**  
**CERTIFIED MAIL® RECEIPT**  
 Domestic Mail Only

For delivery information, visit our website at [www.usps.com](http://www.usps.com).

**OFFICIAL USE**

Certified Mail Fee \$4.15  
 \$3.35  
 Extra Services & Fees (check box, add fee as appropriate)  
 Return Receipt (hardcopy) \$0.00  
 Return Receipt (electronic) \$0.00  
 Certified Mail Restricted Delivery \$0.00  
 Adult Signature Required \$0.00  
 Adult Signature Restricted Delivery \$

Postage \$0.63

Total Postage and Fees \$8.13

Sent To  
 Nicole Hebert  
 Street and Apt. No., or PO Box No.  
 5 Hollis Ave  
 City, State, ZIP+4®  
 Lakeville, MA 02347

0347  
 06  
 Postmark  
 LAKEVILLE  
 JUN 2023  
 06/07/2023

PS Form 3800, April 2016 PSN 7530-02-000-9047 See Reverse for Instructions









**SENNA FITZGERALD GILBERT ASSOCIATES**

CIVIL ENGINEERS & LAND SURVEYORS  
28 MAIN STREET, LAKEVILLE, MA 02347

TEL. (508) 946-5258  
TEL./FAX (508) 947-1090

REVISED

June 8, 2023

Lakeville Board of Health  
241 Main Street  
Lakeville, MA 02347

FILE COPY

RECEIVED

JUN - 9 2023

BOARD OF HEALTH

Re: 24 Beechwood Avenue, 42-21-11.

Dear Mr. Cullen:

Enclosed you will find copies of a revised septic system repair site plan for the above referenced property. The property owner is Nynelyon, Inc. The revised date on the plan is June 8, 2023.

The revisions that were made were the result of comments received from the Board of Health at the meeting of June 7, 2023. The changes included the following:

The septic tank in the system profile was changed to indicate a 2 compartment tank.

A note was added that an effluent filter cannot be used because the high vent for the Presby system is through the house stack. A note was also added that if the house stack cannot be used for the high vent, then a high vent must be installed off the dist. box, and that an effluent filter must be added to the septic tank outlet tee.

The valve outside of the septic tank on the plan was removed.

The length of the pipe from the septic tank to the dist. box was changed, as was the slope.

The soil absorption system was moved to 5' off of the southerly property line.

The corresponding distances were changed.

The LUA for the setback to the property line was added to the plan.

I hope the information provided is sufficient for you to approve the plan and issue a construction permit. If you should have any questions or comments, please do not hesitate to contact this office. Thank you for your time on this matter.

Sincerely,

Brad Fitzgerald, P.E.  
SFG Associates, Inc.

Cc: Nynelyon, Inc.





**SENNA FITZGERALD GILBERT ASSOCIATES**

CIVIL ENGINEERS & LAND SURVEYORS  
28 MAIN STREET, LAKEVILLE, MA 02347

TEL. (508) 946-5258  
TEL./FAX (508) 947-1090

June 8, 2023

David Walker  
22 Beechwood Avenue  
Lakeville, MA 02347

Re: 24 Beechwood Avenue, Lakeville, MA.

Dear Mr. Walker:

A septic system repair site plan has been submitted to the Lakeville Board of Health for the above referenced property, owned by Nynelyon, Inc.

The existing system is failing and must be replaced. As part of the filing, the following Local Upgrades are requested under Title 5, Section 15.405(1):

- (a) to allow the proposed soil absorption system to be 5' from the southerly property line of Walker, at 22 Beechwood Avenue, instead of the required 10'.
- (b) to allow the septic tank to be 3' from the crawl space, instead of the required 10'.
- (b) to allow the s.a.s. to be 5' from the crawl space, instead of the required 20'.
- (g) to allow the s.a.s. to be 53' from the abutting well of Porrino at 26 Beechwood Avenue, instead of the required 100'.
- (g) to allow the s.a.s. to be 368' from a public water supply (Long Pond), instead of the required 400'.
- (k) to allow for one deep hole, instead of the required two.

A public hearing will be held by the Lakeville Board of Health, to discuss these requests, on Wednesday, June 21, 2023 at 6:00 p.m. The meeting will be held at the Lakeville Police Department, 323 Bedford Street, Lakeville. For information regarding this hearing, you may contact the Board of Health at (508) 946-3473, or this office at the address and telephone numbers listed above, or by email at [sfgassociates@verizon.net](mailto:sfgassociates@verizon.net).

Please note that this notice is for informational purposes only, and is not a summons to attend.

Affected abutter: David Walker  
22 Beechwood Avenue  
Lakeville, MA 02347

REVISED FILE COPY

RECEIVED

JUN -9 2023

BOARD OF HEALTH



**U.S. Postal Service™**  
**CERTIFIED MAIL® RECEIPT**  
*Domestic Mail Only*

For delivery information, visit our website at [www.usps.com](http://www.usps.com)®.

**LAKEVILLE, MA 02347**

0347 06

Certified Mail Fee	\$4.15
Extra Services & Fees (check box, add fee)	\$3.25
<input type="checkbox"/> Return Receipt (hardcopy)	\$0.00
<input type="checkbox"/> Return Receipt (electronic)	\$0.00
<input type="checkbox"/> Certified Mail Restricted Delivery	\$0.00
<input type="checkbox"/> Adult Signature Required	\$0.00
<input type="checkbox"/> Adult Signature Restricted Delivery	\$0.00
Postage	\$0.63

**Total \$8.13**

**Sent By David Walker**

**22 Beechwood Avenue**  
**Lakeville, MA 02347**

**City:**

PS Form 3800, April 2012 PSN 7530-02-000-9000

Instructions

7027 0950 0000 2000 8877 1240 6960

POSTMARK HERE JUN 2023 06/08/2023



