



TOWN OF LAKEVILLE

Received & posted: **RECEIVED**
Paul Bay APR 05 2021
Town Clerk @ 11:20 am
ATC LAKEVILLE TOWN CLERK

REMOTE MEETING NOTICE / AGENDA

Posted in accordance with the provisions of MGL Chapter 30A, §. 18-25

PLEASE TYPE OR PRINT LEGIBLY

Board/Committee/Commission: **BOARD OF HEALTH**

Date & Time of Meeting: **Wednesday, April 7, 2021 at 6:00p.m.**

Place of Meeting: **Remote Meeting**

Clerk / Board Member posting notice **Fran Lawrence, Clerk**

Cancelled / Postponed to: _____ (circle-cancelled or postponed)

(Clerk/ Board Member canceling/postponing meeting)

AGENDA

Please ask if anyone is recording the meeting and announce that LakeCAM is taping (if present)

In accordance with the Governor's Order Suspending Certain Provisions of the Open Meeting Law, MGL Chapter 30A, §20, relating to the 2020 Novel Coronavirus outbreak emergency, the April 7, 2021 at 6:00p.m. public meeting of the Board of Health shall be physically closed to the public to avoid group congregation. However, to view this meeting in progress, please go to www.facebook.com/lakecam (you do not need a Facebook account to view the meeting). This meeting will be recorded and available to be viewed at a later date at <http://www.lakecam.tv>

Reorganization of Board of Health Members

12 Juniper Road – Meet with Foresight Engineering to discuss local upgrade requests

Bountiful Farms – Discuss Variance to section 3-502.11© of the Food Code to produce gummy products

ECF Nutrition – New Food Establishment located in East Coast Fitness

NEW BUSINESS

OLD BUSINESS

4 Old Powder House Road – Continued discussion from March 3, 2021 meeting, with Zenith Consulting Engineers LLC to discuss requested variances for their revised septic design

Discuss Water Test Regulations for Septic Repair or Upgrade

18.1 Any Septic Repair or Upgrade Permit must have a Current Water Analysis (up to two years old) can be submitted to show water adequacy, provided they include all potability parameters including Nitrates and Volatile Organic Compounds and Arsenic provided they have been collected objectively by a DEP Certified Lab Employee or Certified Water Operator.

Discuss recent BOH Agent pending items

Review and approve meeting minutes as typed

43D Public Hearing minutes – December 3, 2020

43D Public Hearing minutes – January 7, 2021

BOH Minutes – December 16, 2020

BOH Minutes – January 6, 2021

CORRESPONDENCE

ANNOUNCEMENTS

Covid19 update

Any other business that may properly come before the Board of Health

Please be aware that this agenda is subject to change. Should other issues arise requiring immediate attention by the Board of Health after the posting of this Agenda, they may be addressed at this meeting.