

TOWN OF LAKEVILLE

Received & posted Town Clerk

REMOTE MEETING NOTICE / AGENDA

Posted in accordance with the provisions of MGL Chapter 30A, §. 18-25

PLEASE TYPE OR PRINT LEGIBLY

Board/Committee/Commission: BOARD OF HEALTH

Date & Time of Meeting: Wednesday, August 5 at 6:00p.m.

Place of Meeting:

Remote Meeting

Clerk / Board Member posting notice Fran Lawrence, Clerk

Cancelled / Postponed to: (circle-cancelled or postponed) (Clerk/ Board Member canceling/postponing meeting)

AGENDA

Please ask if anyone is recording the meeting and announce that LakeCAM is taping (if present)

In accordance with the Governor's Order Suspending Certain Provisions of the Open Meeting Law, MGL Chapter 30A, §20, relating to the 2020 Novel Coronavirus outbreak emergency, the August 5, 2020 at 6:00p.m. public meeting of the Board of Health shall be physically closed to the public to avoid group congregation. However, to view this meeting in progress, please go to www.facebook.com/lakecam (you do not need a Facebook account to view the meeting). This meeting will be recorded and available to be viewed at a later date at http://www.lakecam.tv/

- 4 Old Powder House Road Meet with Zenith Consulting Engineers to discuss requested variances
- 141 Main Street Meet with Zenith Consulting Engineers to discuss requested local upgrade approvals
- 29 Pilgrim Road Meet with McKinnon & Keese to discuss requested local upgrades
- 7 Carrie Street Amended betterment agreement in the amount of \$39,340.00
- 43B Committee Recommend Chris Spratt to be appointed by Selectmen

Discuss Soil evaluator license renewal

NEW BUSINESS OLD BUSINESS

Discuss recent BOH Agent pending items

Review and approve meeting minutes as typed May 20, 2020

CORRESPONDENCE ANNOUNCEMENTS

Any other business that may properly come before the Board of Health

Please be aware that this agenda is subject to change. Should other issues arise requiring immediate attention by the Board of Health after the posting of this Agenda, they may be addressed at this meeting.